
## Compressor for Bus Air Conditioning



## **TM-65** Compressor The large displacement compressor by Valeo



valeo added<sup>®</sup>



Enabling a better automotive world

## Innovative solution for Bus Air Conditioning

The new Valeo **TM-65** compressor is the great achievement of Valeo Compressors fifty years cutting-edge innovations and customer oriented product development. Customers have praised Valeo Compressors know-how, technologies and heavy-duty products which ideally suit buses applications.

Our expertise and engineering excellence are featured today in the new Valeo **TM-65**, which is released after a long and demanding validation program in our heavy-duty R&D center in Japan. The full qualification of this new product is issued after extensive and successful runs on current bus air conditioning system equipments in Asia and the Middle East, which host the hottest climates.

Valeo **TM-65** Heavy Duty compressor operation excellence is guaranteed today for large buses and coaches air conditioning systems.

Valeo TM-65 delivers high cooling capacity along with compact size and light weight.

Running smoothly and quietly Valeo TM-65 reliability combined with excellent efficiency reduces significantly operating costs for companies running buses equipped with Valeo **TM-65** air conditioning compressor.

Valeo TM-65 benefits make it the best solution for large bus air conditioning systems.

MODEL	TM-65				
TECHNOLOGY	Heavy Duty Swash Plate				
DISPLACEMENT	635cc / 38.75 in <sup>3</sup> per rev.				
NUMBER OF CYLINDERS	14 (7 double-headed pistons)				
REVOLUTION RANGE	600-4000 rpm				
DIRECTION OF ROTATION	Clockwise viewed from clutch				
LUBRICATIONSYSTEM	Lubrication by oil pump				
REFRIGERANT	HFC-134a				
OIL (QUANTITY)	PAG OIL (1500cc / 0.40 gal)				
WEIGHT	18.1kg / 39.9lb (w/o Clutch)				
DIMENSIONS Length - Width - Height	341 - 194 - 294 (mm) 13.4 - 7.64 - 9.33 (in)				
MOUNTING	Direct (side or base)				



valeo added IIIIII



# Valeo TM-65 benefits

### Valeo **TM-65** Benefits for Buses and Coaches Operators

Best Efficiency :	-Equivalent cooling with lower fuel consumption		
	-Save costs with TM-65 equipped Buses		
Reliability & Durability :	-"Made in Japan" manufacturing quality standards		
	-Lip type shaft seal design ensuring oil leakage free operation		
	-Balanced design reducing noise and vibrations -Improved durability ensures long-term cost savings		
High Cooling Capacity :	-Best cooling capacity at idling (traffic jam, stops,) -Guarantees Passengers' comfort		

### Valeo TM-65 Benefits for Bus Makers

Light weight & compact :	-Easy to mount & to maintain (oil sight glass, no leakage) -Improved field serviceability -Most challenging integration made easier by design
Balanced 14 Cylinders design	: -Decreased constraints on each valve and pistons -Less stress, metal fatigue, improved durability -Robust design and high precision manufacturing -Better reliability with less parts (up to -40% vs. competitors)
Performance-Cost Mix :	-Highly Competitive pricing for better performances

### Valeo TM-65 Benefits for A/C Systems Makers

Perfect Compatibility :	-Great adaptability to any chassis, engines -Natural integration to any A/C systems
Premium Quality product :	-Valeo design ensuring performance & durability -Japan design and manufacturing guaranteed origin
Valeo warranty and Competitive pricing :	-0 defect production quality & skilled experienced staffs -Warranty in line with customers standards -Moderate pricing for innovation and quality



## Valeo TM-65 Compressor



## Light & Compact, Ultimate Reliability, Highest Performance valeo added



Copyright  $\ensuremath{\mathbb{C}}$  2009 Valeo Compressors. All rights reserved.


# Valeo TM-65 performance


### Valeo TM-65 Performance data (R134a)


		Cooling capacity $Q_0$ (Watt) & Power consumtion $P_W$ (Watt)						
Cond. temp ( <sup>o</sup> c)	Conditions	Evap temp (°c)	10	7.5	5	0	-5	-10
Tc	Pd	Ps	0.32	0.28	0.24	0.19	0.15	0.10
40	0.91	Q <sub>0</sub>	42,880	37,190	34,060	28,190	22,510	17,300
		P <sub>W</sub>	7.70	7.48	7.29	7.08	6.50	5.80
50	1.21	Q <sub>0</sub>	35,730	31,970	29,230	23,590	18,650	14,700
		P <sub>W</sub>	8.82	8.46	8.28	7.60	6.81	6.05
60	1.58	Q <sub>0</sub>	30,650	27,800	24,870	19,860	15,500	11,970
		P <sub>W</sub>	9.78	9.42	8.94	8.02	7.01	6.07

Compressor speed=1450 RPM , suction gas temperature=20°C

#### Valeo TM-65 Conversion factors










# Waleo **TM-65** dimensions






Copyright  $\ensuremath{\mathbb{C}}$  2009 Valeo Compressors. All rights reserved.

# TM-65 Magnetic Clutch


VALEO **TM-65** is available either as compressor and magnetic clutch assembly or compressor body that customers can fit with compatible magnetic clutches. The magnetic clutch design Valeo has been promoting for more than 20 years now is gradually adopted as wel by other major market actors.

Our compressors and magnetic clutches have successfully passed thousand hours long validation tests in Valeo Compressors research center laboratory. Operational excellence was demonstrated during hot season testing on field under challenging climates in the most stressful conditions.

Being able to rely on our robust magnetic clutch provide the best way to reduce fuel consumption without using additional unloading device that decreases significantly compressor efficiency and durability. Valeo magnetic clutches range ensures an unmatched reliability and the longest durability that perfectly matches the Valeo **TM-65** compressor qualities.



### Valeo TM-65 magnetic clutches standard range:



Copyright  $\[mathbb{C}\]$  2009 Valeo Compressors. All rights reserved.

6

Bus Air Conditioning

## New Valeo TM-65 Compressor for Bus Air-Conditioning



### Valeo TM-65 Benefits

High reliability Integration flexibility Great cooling capacity Enhanced performance Lower fuel consumption Compact & robust design Improved field serviceability Reduced noise and vibrations Staggering value through innovation

#### valeo added<sup>®</sup>

### www.valeocompressors.com

#### Asia

1538 Oaza-Shinozuka,Oura-Machi, Oura-Gun,Gunma-Ken 370-0615 Japan Phone: +81 (0) 276 881 232 Fax: +81 (0) 276 881 944 Email: vc-oura-sales@valeo.com

#### Europe & Middle East Africa

6, rue Francois Cevert BP71014 49015 Angers, France Phone: +33 (0) 241686 254 Fax: +33 (0) 241 686 239 Email: vc-angers-sales@valeo.com

#### Americas

2520 Esters Blvd #100 Dallas, TX 75261 United States Phone: +1 972 456 1077 Fax: +1 972 456 1090 Email: vc-dallas-sales@valeo.com

Copyright  $\ensuremath{\mathbb{C}}$  2009 Valeo Compressors. All rights reserved.